□□□□□□□□ □□□

□□□□□	RSH8-250
□□□.□□□□□□□ □□) □□□□)	8
□□□.□□□□□□□ □□) □□□□)	250
□□□□.□□□□□□□ □□) □□□□□)	270
□□□□□□□ □□□□□□□□□ □□))	290
□□□□□□□□ (PCS/min)	30-45
□□□□□ □□□ □□□□□□□□ □□))	φ60x290
□□□□ □□□ (1) □□□□ □□))	φ40x150
□□□□ □□□ 2) □□□□nd) (□□)	φ40x150
□□□ □□□ □□) □□□□□)	φ28x60
□□□□□□ □□□ □□))	12x42x90
□□□□□□ □□□□ □□□□□□□□□ (KW)	10hp/7.5kw
□□□ □□□□□□□□□ (l*w*h) (□)	4.30x1.60x1.90
□□□□□ □□□□□□ (KGS)	7800

□□□□□□□ □□□□□ □□ □□□□ □□ □□□□□□□ □ □□□□□ □□□ □□□□ □ □□□□□□□□□□ □□ □□□□□.

□□□□□□□□□□ □□□□□□□ □□□□□ □□□ □□ □□□□□□ □□□□□ □□□□□□□ □□□□□ □□□□□ □□□□□ □□□ □□ □□□□□ □□□□□ □□□ .□□□□□□ □□□□□□ □□□□□□ □□□□□□ □□

□□□□□□ □□□□□□□
□□□□□□□ □ □□□□□□□□□□□ □ □□□□□ □□□□□□□ □□□□□□□□ □ □□□□□□□□ □□□□□ □□□ □□□□□□ □□ □□□ □□□□□ □□□□ □□□□□ □□□ □ □□ □□□□□□□ □□□□□ □□□□ □□□□□ □ □□□□□□□ □□□□□□ □□ □ □□□□□□ □□□□□□□□ □□□□□□□□ □□□ □□□□ □□□□□□ □□ □□□□□ □□ □ □□□□ □□□□□□□□ □□□□□ □□ □□□□□□□ □□□□□ □□□□□□ □□□□□□□ □□□□□□ □□□ □□□□.□□□□□□□□ □□□□□□ □□□□□□ □□□□ □□ □ □□□□□ □□□□□ □□□□□ □□ □ □□□□□ □□□ □□ □ □□□□□□□ □□□□□□ .□□□□□□ □□□ □□□□□□ □□□ □□□□□□□ □□□□□□□ □□□□□□□□ □□□□□□□

□ □□□ □□□□ □ □□□□ □□□□ □ □□ □□□□□□□ □□□□□□□ □ □□□□□□□ □□□ □ □□□□□□□□ □□□ □□□□□□□□ □□□□ □□ □□□□ □□□ □□□□ □□□ □ □□□□□□ □□□ □ □□□□□ □□□ □ □□□□□ □□□ □ □□□□ □□□ □□□□□ □□□ □ □□□□ □□□ □□□□□ □□□□□□□ □□□ □□□.

SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance

Professional ☑
Good quality ☑
Energy conservation ☑

20 YEARS

20 years of professional export

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE

Professional ☑
Good quality ☑
Energy conservation ☑

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers