




SPRING WASHER MACHINE

Fast speed and high stability. High carbon steel with tensile strength of 1500–1700 can be used as material of spring washer.



Coil collection



Belt wire drawing machine



Coil machine



Cutting machine

- Professional
- Good quality
- Energy conservation

20 YEARS

20 years of professional export

Professional production of spring washers

Our products are widely used in various industries. We have a complete set of equipment for producing Wahser. We can produce various sizes and materials of spring washers.

For more information, please contact us:

□□□□□□ □□□ □□□ □□□ □□□□□□□□ □□□□□ □□□ □ □□□□□ □□□□.

2 □□□ □□□□□□ □ □□□□□.

3 □□□ □□□ □ □□□□□.

□□□□□□ □□□□□□□□

TECHNICAL SPECIFICATION

| Item | Specification | Speed rpm | Dimension(L*W*H) mm | Weight/kg |
|--|--|-----------|---------------------|-----------|
| Belt Wire Drawing Machine | Reel dia.:550 | | | |
| | Reel dia.:350 | | | |
| Coil machine | 3-5mm(inner dia of final product) | 1080 | 1380*600*950 | 400 |
| | 6mm(inner dia of final product) | 1080 | 1600*650*950 | 450 |
| | 8-10mm(inner dia of final product) | 720 | 1800*750*1350 | 750 |
| | 12-16mm(inner dia of final product) | 518 | 1800*750*1350 | 1000 |
| | 18-22mm(inner dia of final product) | 392 | 2000*1450*900 | 1200 |
| | 24-30mm(inner dia of final product) | 262 | 2200*1000*1500 | 1600 |
| | Above 33mm(inner dia of final product) | 150 | 2600*1100*1780 | 2000 |
| Coil collection machine | Below 12mm(inner dia of final product) | | | |
| | 12-22mm(inner dia of final product) | | | |
| Cutting machine | 3-5mm(inner dia of final product) | 530 | 850*700*1250 | 300 |
| | 6-8mm(inner dia of final product) | 368 | 1200*750*1350 | 450 |
| | 10-12mm(inner dia of final product) | 296 | 1450*850*1500 | 600 |
| | 14-16mm(inner dia of final product) | 213 | 1550*950*1580 | 1000 |
| | 18-20mm(inner dia of final product) | 150 | 1650*1000*1600 | 1300 |
| | 22-30mm(inner dia of final product) | 120 | 1850*1200*1600 | 1500 |
| | above33mm(inner dia of final product) | 70 | 2000*1500*2800 | 3000 |
| Mould(round wire to belt wire) material Cr12Movz | 150mm | | | |
| | 200mm | | | |
| | 150mm mould sheet | | | |
| | 200mm mould sheet | | | |

All specifications are subject to changes without prior notice