Model RSH10-120 Max. Blank Diameter 10 (mm) Max. Blank 120 Length (mm) Max. Cut off 140 Length (mm) Stroke 150 (mm) (Pcs/Min)⁵⁰⁻⁶⁰ Output Main Die Diameter $\Phi 80X160$ (mm) Punch Die Diameter Φ 55X150 (1st) (mm) Punch Die Diameter Φ 55X150 (2nd) (mm) Cut off Diameter $\Phi 40X50$ (mm) Cutter Size 16X55X115 (mm) Main Motor 15HP/11KW Power (KW) Machine Size 4.80X1.80X1.70 (L*W*H) (m) Approx Weight 8450 (Kgs)

Heading Machine

For more information, please leave a message, and I can give you detail introduction.

The head machine is a professional cold upsetting forming machine which is matched with automatic wire rolling machine in the whole plant of fastener industry.

Safety instructions

Its purpose is to the selected such as carbon steel, stainless steel, aluminum, copper and other metal wire, with appropriate mould, according to the allowable pressure wire than, under the effect of crankshaft connecting rod drive the slider, automated, fast after the required size of the wire will be automatically shear, extrusion in the mould for needed fastener head type, stem diameter, facilitate thread rolling, or become a qualified rivet type fastener. The heading machine automatically processes, the wire into semi-finished products.

The machine can produce Truss Head, Countersunk Head, Set Screw, Wood Screw, Chipboard Screw, Self Tapping Screw, Flat Head Hex Head, Pan Head, Hexagon Head, Socket Head, Button Head and so on.



Professional V

Good quality Energy conservation

20 years of professional export



PRODUCTION AREA

Provide You With A Variety Of Products Meet The Different Needs Of Customers













