




SPRING WASHER MACHINE

Fast speed and high stability. High carbon steel with tensile strength of 1500–1700 can be used as material of spring washer.



Coil collection



Belt wire drawing machine



Cutting machine



Coil machine

- Professional
- Good quality
- Energy conservation

20 YEARS

20 years of professional export

Máquina de fabricação de lavadora de mola de alta velocidade

Podemos fornecer uma linha inteira para fazer arruela de mola. A linha de produção Wahser da mola contém máquina de corte, máquina de desenho de arame, máquina de enrolar, máquina de coleta de bobinas.

Máquina de arruela de mola inclui três partes:

1 passo, desenhando o fio redondo para a máquina de arame.

2 Etapa, Rolling Up Machine.

3 etapas, máquina de corte.

Parâmetro técnico

TECHNICAL SPECIFICATION

| Item | Specification | Speed rpm | Dimension(L*W*H) mm | Weight/kg |
|--|--|-----------|---------------------|-----------|
| Belt Wire Drawing Machine | Reel dia.:550 | | | |
| | Reel dia.:350 | | | |
| Coil machine | 3-5mm(inner dia of final product) | 1080 | 1380*600*950 | 400 |
| | 6mm(inner dia of final product) | 1080 | 1600*650*950 | 450 |
| | 8-10mm(inner dia of final product) | 720 | 1800*750*1350 | 750 |
| | 12-16mm(inner dia of final product) | 518 | 1800*750*1350 | 1000 |
| | 18-22mm(inner dia of final product) | 392 | 2000*1450*900 | 1200 |
| | 24-30mm(inner dia of final product) | 262 | 2200*1000*1500 | 1600 |
| | Above 33mm(inner dia of final product) | 150 | 2600*1100*1780 | 2000 |
| Coil collection machine | Below 12mm(inner dia of final product) | | | |
| | 12-22mm(inner dia of final product) | | | |
| Cutting machine | 3-5mm(inner dia of final product) | 530 | 850*700*1250 | 300 |
| | 6-8mm(inner dia of final product) | 368 | 1200*750*1350 | 450 |
| | 10-12mm(inner dia of final product) | 296 | 1450*850*1500 | 600 |
| | 14-16mm(inner dia of final product) | 213 | 1550*950*1580 | 1000 |
| | 18-20mm(inner dia of final product) | 150 | 1650*1000*1600 | 1300 |
| | 22-30mm(inner dia of final product) | 120 | 1850*1200*1600 | 1500 |
| | above33mm(inner dia of final product) | 70 | 2000*1500*2800 | 3000 |
| Mould(round wire to belt wire) material Cr12Movz | 150mm | | | |
| | 200mm | | | |
| | 150mm mould sheet | | | |
| | 200mm mould sheet | | | |

All specifications are subject to changes without prior notice