


SPRING WASHER MACHINE

Fast speed and high stability. High carbon steel with tensile strength of 1500–1700 can be used as material of spring washer.



Coil collection



Belt wire drawing machine



Cutting machine



Coil machine

- Professional
- Good quality
- Energy conservation

20 YEARS

20 years of professional export

Yüksek hızlı yaylı yıkama makinesi

Bahar yıkayıcı yapmak için bütün bir çizgi sağlayabiliriz. Spring Wahser üretim hattı kesme makinesi, kemer tel çizim makinesi, yuvarlanma makinesi, bobin toplama makinesi içerir.

Yay Yıkayıcı Makinesi Üç parça içerir:

1 adım, yuvarlak kabloyu kayış teline çizmek.

2 Adım, Makinesi yuvarlayın.

3 adım, kesme makinesi.

Teknik parametre

TECHNICAL SPECIFICATION

| Item | Specification | Speed rpm | Dimension(L*W*H) mm | Weight/kg |
|--|--|-----------|---------------------|-----------|
| Belt Wire Drawing Machine | Reel dia.:550 | | | |
| | Reel dia.:350 | | | |
| Coil machine | 3-5mm(inner dia of final product) | 1080 | 1380*600*950 | 400 |
| | 6mm(inner dia of final product) | 1080 | 1600*650*950 | 450 |
| | 8-10mm(inner dia of final product) | 720 | 1800*750*1350 | 750 |
| | 12-16mm(inner dia of final product) | 518 | 1800*750*1350 | 1000 |
| | 18-22mm(inner dia of final product) | 392 | 2000*1450*900 | 1200 |
| | 24-30mm(inner dia of final product) | 262 | 2200*1000*1500 | 1600 |
| | Above 33mm(inner dia of final product) | 150 | 2600*1100*1780 | 2000 |
| Coil collection machine | Below 12mm(inner dia of final product) | | | |
| | 12-22mm(inner dia of final product) | | | |
| Cutting machine | 3-5mm(inner dia of final product) | 530 | 850*700*1250 | 300 |
| | 6-8mm(inner dia of final product) | 368 | 1200*750*1350 | 450 |
| | 10-12mm(inner dia of final product) | 296 | 1450*850*1500 | 600 |
| | 14-16mm(inner dia of final product) | 213 | 1550*950*1580 | 1000 |
| | 18-20mm(inner dia of final product) | 150 | 1650*1000*1600 | 1300 |
| | 22-30mm(inner dia of final product) | 120 | 1850*1200*1600 | 1500 |
| | above33mm(inner dia of final product) | 70 | 2000*1500*2800 | 3000 |
| Mould(round wire to belt wire) material Cr12Movz | 150mm | | | |
| | 200mm | | | |
| | 150mm mould sheet | | | |
| | 200mm mould sheet | | | |

All specifications are subject to changes without prior notice