

အထွေထွေ အချက်အလက်

အမျိုးအမည်	RSH3-20
အရွယ်အစား	3
အလုပ်နှုန်း (လက်မ/မိနစ်)	20
အလုပ်နှုန်း (မီတာ/မိနစ်)	30
အလုပ်နှုန်း (မီတာ/မိနစ်)	37
အလုပ်နှုန်း (PCS/min)	150-200
အလုပ်နှုန်း (လက်မ/မိနစ်)	φ20x35
အလုပ်နှုန်း (1) (လက်မ/မိနစ်)	φ18x50
2) (လက်မ/မိနစ်)	φ18x50
အလုပ်နှုန်း (လက်မ/မိနစ်)	φ13x25
အလုပ်နှုန်း (လက်မ/မိနစ်)	6x25x42
အလုပ်နှုန်း (KW)	1.5hp/1.1kw
အလုပ်နှုန်း (l*w*h) (လက်မ)	1.4x0.75x0.9
အလုပ်နှုန်း (KGS)	650

အထွေထွေ အချက်အလက် အားလုံးကို အောက်ဖော်ပြပါ အချက်အလက်များကို ကြည့်ရှုပါ။

အထွေထွေ အချက်အလက် အားလုံးကို အောက်ဖော်ပြပါ အချက်အလက်များကို ကြည့်ရှုပါ။

အထွေထွေ အချက်အလက်

အထွေထွေ အချက်အလက် အားလုံးကို အောက်ဖော်ပြပါ အချက်အလက်များကို ကြည့်ရှုပါ။

အထွေထွေ အချက်အလက် အားလုံးကို အောက်ဖော်ပြပါ အချက်အလက်များကို ကြည့်ရှုပါ။



SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



- Professional
- Good quality
- Energy conservation

20 YEARS

20 years of professional export

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



- Professional ✓
- Good quality ✓
- Energy conservation ✓

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers

