□□□□□□□ □□□

□□□□□	RSH3-20
□□) □□□□ □□□.□□□□□□)	3
□□) □□□□ □□□.□□□□□□)	20
□□) □□□□□ □□□□.□□□□□□)	30
□□) □□□□□□□□ □□□□□□)	37
□□□□□□□ (PCS/min)	150-200
□□) □□□□□□□ □□□□□ □□□)	φ20x35
□□) (1) □□□□ □□□□ □□□)	φ18x50
2) □□□□ □□□□ □□□nd) (□□)	φ18x50
□□) □□□□□ □□□ □□□)	φ13x25
□□) □□□□□□ □□□)	6x25x42
□□□□□□□□ □□□□□□ □□□□ (KW)	1.5hp/1.1kw
□□□□□□□□ □□□ (l*w*h) (□)	1.4x0.75x0.9
□□□□□□ □□□□□ (KGS)	650

□□□□□□□ □□□□□ □□ □□□□ □□ □□□□□□□ □ □□□□□ □□□ □□□□ □ □□□□□□□□□□ □□ □□□□□.

□□□□□□□□□□ □□□□□□□ □□□□□ □□□ □□ □□□□□□ □□□□□ □□□□□□□ □□□□□ □□□□□ □□□□□ □□□ □□ □□□□□ □□□□□ □□□ .□□□□□□ □□□□□□ □□□□□□ □□□□□□ □□

□□□□□□ □□□□□□□
□□□□□□□ □ □□□□□□□□□□□□ □ □□□□□ □□□□□□□ □□□□□□□□ □ □□□□□□□□ □□□□□ □□□ □□□□□□ □□ □□□ □□□□□ □□□□ □□□□□ □□□ □ □□ □□□□□□□ □□□□□ □□□□ □□□□□ □ □□□□□□□ □□□□□□ □□ □ □□□□□□ □□□□□□□□ □□□□□□□□ □□□ □□□□ □□□□□□ □□ □□□□□ □□ □ □□□□ □□□□□□□□ □□□□□ □□ □□□□□□□ □□□□□ □□□□□□ □□□□□□□ □□□□□□ □□□ □□□□.□□□□□□□□ □□□□□□□ □□□□□□□ □□□□ □□ □ □□□□□ □□□□□ □□□□□ □□ □ □□□□□ □□□ □□ □ □□□□□□□ □□□□□□ .□□□□□□ □□□ □□□□□□□ □□□ □□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□□□

□ □□□ □□□□ □ □□□□ □□□□ □ □□ □□□□□□□ □□□□□□□ □ □□□□□□□ □□□ □ □□□□□□□□ □□□ □□□□□□□□ □□□□ □□ □□□□ □□□ □□□□ □□□ □ □□□□□□□ □□□ □ □□□□□ □□□ □ □□□□□ □□□ □ □□□□ □□□ □□□□□ □□□ □ □□□□ □□□ □□□□□ □□□□□□□ □□□ □□□.

SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance

Professional ☑
Good quality ☑
Energy conservation ☑

20 YEARS

20 years of professional export

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE

Professional ☑
Good quality ☑
Energy conservation ☑

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers