

အထွေထွေ အချက်အလက်

အမျိုးအမည်	RSH3-20
အရွယ်အစား	3
အလျင် (PCS/min)	20
အလျင် (PCS/min)	30
အလျင် (PCS/min)	37
အလျင် (PCS/min)	150-200
အရွယ်အစား (PCS/min)	φ20x35
အရွယ်အစား (1) (PCS/min)	φ18x50
2) အရွယ်အစား (PCS/min)	φ18x50
အရွယ်အစား (PCS/min)	φ13x25
အရွယ်အစား (PCS/min)	6x25x42
အရွယ်အစား (PCS/min) (KW)	1.5hp/1.1kw
အရွယ်အစား (PCS/min) (l*w*h) (mm)	1.4x0.75x0.9
အရွယ်အစား (PCS/min) (KGS)	650

အထွေထွေ အချက်အလက် အားလုံးကို အောက်ဖော်ပြပါ အချက်အလက်များကို ကြည့်ရှုပါ။

အထွေထွေ အချက်အလက် အားလုံးကို အောက်ဖော်ပြပါ အချက်အလက်များကို ကြည့်ရှုပါ။

အထွေထွေ အချက်အလက်

အထွေထွေ အချက်အလက် အားလုံးကို အောက်ဖော်ပြပါ အချက်အလက်များကို ကြည့်ရှုပါ။

အထွေထွေ အချက်အလက် အားလုံးကို အောက်ဖော်ပြပါ အချက်အလက်များကို ကြည့်ရှုပါ။



SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



- Professional
- Good quality
- Energy conservation

20 YEARS

20 years of professional export

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



- Professional
- Good quality
- Energy conservation

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers

