

□□□□□□□□ □□□□□□ □□□□:

1. □□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□ □□□□ □□ □□□□□□ □□□□ □□□□ □□ □□.
2. □□□□□□□□ □□□□□□□□ □□□□□□□□ □□ □□□□ □□□□ □□□□□□□□ □□□□ □□□□□□□□□□ □□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□□□□□□

□□□□□□ □□□□□□□□□□:

ZPA28-32round □□□□□ □□□ □□□□□ □□□□□				
□□□□□□□□ □□□ □□□□□□			KN	320
□□□□□□□□ spiline □□□□□	Max.diameter	□□□□□ □□□□□	□□	90
		□□□□□ □□□□□□□□□	□□	50
	Max.pitch	□□□□□ □□□□□	□□	6
		□□□□□ □□□□□□□□□	□□	8
□□□□ □□□□□□ □□□□□□□□□	□□□□ Max.outer		□□	220
	□□□□□		□□	75
	□□□□ □□□□□		□□	180
□□□□□□ □□□□□□ □□□□ □□□□□ □□□□□ □□□□□ □□□□□			□□	300
□□□□□□□□ □□□□□□ □□□□□□			r.p.m.	62
□□□□□□□□ □□□□□□ □□□				± 5 °
□□□□□ □□□□□			□□	0-16
□□□□ □□□□□□□			□□	950
□□□□□□□□□ □□□□□□			KW	14.2
□□□□□□□□(L×W×H)			□□	1600 × 1680 × 1650
□□□□			□□□□	4080

□□□□□□ □□□□□:



□□□□ □□□□□□□□ □□□□□□□□:



□□□□□□ □□□□□□:



□□□□□ □□ □□□□:

