

RS3	
RS	RSH3-20
RSmm	3
RSmm	20
RSmm	30
RSmm	37
RSPC/min	150-200
RSmm	φ20x35
RS1stmm	φ18x50
RSmm	φ18x50
RSmm	φ13x25
RSmm	6x25x42
RSKW	1.5HP/1.1kW
RSL*W*HMM	1.4x0.75x0.9
RSkgs	650

RS

RS

RS

Its purpose is to the selected such as carbon steel, stainless steel, aluminum, copper and other metal wire, with appropriate mould, according to the allowable pressure wire than, under the effect of crankshaft connecting rod drive the slider, automated, fast after the required size of the wire will be automatically shear, extrusion in the mould for needed fastener head type, stem diameter, facilitate thread rolling, or become a qualified rivet type fastener.

RS

SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



Professional ☒
Good quality ☒
Energy conservation ☒

20 YEARS

20 years of professional export

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



Professional ✓
Good quality ✓
Energy conservation ✓

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers

