

型号	RSH3-20
重量	3
送料直径mm	20
送料速度mm/min	30
送料长度mm	37
送料速度PC/min	150-200
送料直径mm	φ20x35
送料速度1stmm/min	φ18x50
送料速度mm/min	φ18x50
送料直径mm	φ13x25
送料直径mm	6x25x42
送料速度KW	1.5HP/1.1kW
送料速度L*W*Hmm	1.4x0.75x0.9
送料速度kgs	650

送料速度mm/min

送料速度mm/min

送料速度

Its purpose is to the selected such as carbon steel, stainless steel, aluminum, copper and other metal wire, with appropriate mould, according to the allowable pressure wire than, under the effect of crankshaft connecting rod drive the slider, automated, fast after the required size of the wire will be automatically shear, extrusion in the mould for needed fastener head type, stem diameter, facilitate thread rolling, or become a qualified rivet type fastener.

送料速度mm/min

SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



Professional ☒
Good quality ☒
Energy conservation ☒

20 YEARS

20 years of professional export

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



Professional ✓
Good quality ✓
Energy conservation ✓

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers

