

111

□□	RSH3-20
□□□□□□□□□□□□	3
□□□□□□□□□□□□	20
□□□□□□□□□□(mm)	30
□□□□□□	37
□□□□/□□□	150-200
□□□□ (mm)	Φ20X35
□□□□□□□□□□□□	Φ18X50
□□□□□□□□□□□□	Φ18X50
□□□□□ (mm)	Φ13X25
□□□□□□□□	6X25X42
□□□□□□(KW)	1.5□□/1.1□□
□□□□□□*□*□□□□□	1.4X0.75X0.9
□□□□□□□□	650

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

11

[illegible][illegible]

SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



Professional ☒
Good quality ☒
Energy conservation ☒

20 YEARS

20 years of professional export

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



Professional ✓
Good quality ✓
Energy conservation ✓

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers

