

型号	
品牌	RSH5-80
额定电压(V)	5
额定功率(W)	80
额定电流(A)	95
额定电压(V)	110
额定功率(W)	90-110
额定电流(A)	Φ34.5X100
额定电压(V)	Φ31X75
额定功率(W)	Φ31X75
额定电流(A)	Φ19X35
额定电压(V)	10X35X72
额定功率(W)	4.0HP/3.0KW
额定电流(A)	2.40X1.15X1.25
额定电压(V)	1850

额定电压(V) 5 额定功率(W) 80

额定电压(V) 110 额定功率(W) 90-110

额定电压(V) 1850 额定功率(W) 4.0HP/3.0KW 额定电流(A) 2.40X1.15X1.25

额定电压(V) 1850 额定功率(W) 4.0HP/3.0KW 额定电流(A) 2.40X1.15X1.25



SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



- Professional ☒
- Good quality ☒
- Energy conservation ☒

20 YEARS

20 years of professional export

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



Professional ✓
Good quality ✓
Energy conservation ✓

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers

