


# SPRING WASHER MACHINE

Fast speed and high stability. High carbon steel with tensile strength of 1500–1700 can be used as material of spring washer.



Coil collection



Belt wire drawing machine



Cutting machine



Coil machine

- Professional ☒
- Good quality ☒
- Energy conservation ☒

# 20 YEARS

20 years of professional export

## Máquina para fabricar arandelas de resorte de alta velocidad

Podemos proporcionar una línea completa para fabricar arandelas elásticas. La línea de producción de arandelas de resorte contiene una máquina cortadora, una máquina trefiladora de cinta, una máquina enrolladora y una máquina recolectora de bobinas.

lavadora de resorte incluye tres partes:

1 paso, trefilando el alambre redondo a la máquina de alambre de correa.

Máquina enrolladora de 2 pasos.

Máquina cortadora de 3 pasos.

Parámetro técnico

# TECHNICAL SPECIFICATION

| Item                                             | Specification                          | Speed rpm | Dimension(L*W*H) mm | Weight/kg |
|--------------------------------------------------|----------------------------------------|-----------|---------------------|-----------|
| Belt Wire Drawing Machine                        | Reel dia.:550                          |           |                     |           |
|                                                  | Reel dia.:350                          |           |                     |           |
| Coil machine                                     | 3-5mm(inner dia of final product)      | 1080      | 1380*600*950        | 400       |
|                                                  | 6mm(inner dia of final product)        | 1080      | 1600*650*950        | 450       |
|                                                  | 8-10mm(inner dia of final product)     | 720       | 1800*750*1350       | 750       |
|                                                  | 12-16mm(inner dia of final product)    | 518       | 1800*750*1350       | 1000      |
|                                                  | 18-22mm(inner dia of final product)    | 392       | 2000*1450*900       | 1200      |
|                                                  | 24-30mm(inner dia of final product)    | 262       | 2200*1000*1500      | 1600      |
|                                                  | Above 33mm(inner dia of final product) | 150       | 2600*1100*1780      | 2000      |
| Coil collection machine                          | Below 12mm(inner dia of final product) |           |                     |           |
|                                                  | 12-22mm(inner dia of final product)    |           |                     |           |
| Cutting machine                                  | 3-5mm(inner dia of final product)      | 530       | 850*700*1250        | 300       |
|                                                  | 6-8mm(inner dia of final product)      | 368       | 1200*750*1350       | 450       |
|                                                  | 10-12mm(inner dia of final product)    | 296       | 1450*850*1500       | 600       |
|                                                  | 14-16mm(inner dia of final product)    | 213       | 1550*950*1580       | 1000      |
|                                                  | 18-20mm(inner dia of final product)    | 150       | 1650*1000*1600      | 1300      |
|                                                  | 22-30mm(inner dia of final product)    | 120       | 1850*1200*1600      | 1500      |
|                                                  | above33mm(inner dia of final product)  | 70        | 2000*1500*2800      | 3000      |
| Mould(round wire to belt wire) material Cr12Movz | 150mm                                  |           |                     |           |
|                                                  | 200mm                                  |           |                     |           |
|                                                  | 150mm mould sheet                      |           |                     |           |
|                                                  | 200mm mould sheet                      |           |                     |           |

All specifications are subject to changes without prior notice



## COMPANY PROFILE

---

Harbin Rainbow Technology Co.,Ltd comes from China National Machinery Import and Export Corp. Harbin branch. The main business is manufacturing cold forging machine, Bolt Maker, Nut Maker, Part Former, Screw Heading Machine, Thread Rolling Machine, Wire Drawing Machine and Mesh Belt Furnace, Zinc plating plant. etc.





We abide by the principles of honesty, credibility, and mutual-benefit, and do our best to serve clients and customers both at home and abroad. With our top-notch professional knowledge and trading experience, we have seen our market development ability and actual business growth with an increasingly faster pace. We sincerely look forward to working with you to facility your company's foreign market development and China market expansion. Let's build a great future together!







## OFFICE IN INDIA



## STUTTGART EXHIBITION IN 2019



SHIPPMENT



*Bunny Zhang*  
*Sales Manager*

Harbin Rainbow Technology Co., Ltd. Ningbo Branch

Add: Beilun District, Ningbo city, China



[www.rainbowtechnology.net](http://www.rainbowtechnology.net)

[www.machine-tools.com.cn](http://www.machine-tools.com.cn)

Mobile/Whatsapp/Wechat: +86 15678396701

Email: [bunny@rainbowtechnology.net](mailto:bunny@rainbowtechnology.net)