

Línea de producción automática de revestimiento de barriles. Se puede adaptar a una variedad de piezas pequeñas, piezas estándar y varios tipos de revestimiento que necesitan un aumento sustancial de la productividad laboral. Se ha previsto el revestimiento que se espera del rechazo del conjunto completo de equipos de agua y secado.

1. El rodillo grande puede ser materiales de fundición de PP extremadamente PP, perforación con máquina CNC.
2. El sistema de transmisión adopta cada estación de un acoplamiento de engranajes de transmisión, velocidad electromagnética.
3. El dispositivo de alimentación con pesaje automático puede reducir la intensidad del trabajo.
4. Equipo de lavado automático de barriles de carpetas de pasivación y rechazo automático de secador de color de agua.

Podemos ofrecer desde material de recubrimiento vertido secado con agua hasta un conjunto completo de equipos. Rica experiencia especial acumulada en tinas de lavado galvanizadas pasivadas con solución de zinc y equipos de color de clip, rodillos y plantillas de PP para una patente nacional.

La configuración principal

- 1, la máquina PLC adopta **Productos japoneses de Mitsubishi Electric Corporation;**
- 2, inversor por **Mitsubishi Electric Corporation de Japón** productos;
- 3, pantalla táctil con los productos de la compañía eléctrica del estado de Kunlun;
- 4, interruptores de proximidad e interruptores fotoeléctricos de **Alemania Turck productos eléctricos;**
- 5, contactores y relés térmicos. **Productos de la Compañía Eléctrica Suzhou Siemens;**
- 6, tanque de desengrase químico **Calefacción de tubo de calefacción eléctrica de acero inoxidable 304,** potencia de 48KW, 220V;
- 7, tanque de agua caliente hecho de **Calefacción por tubo calefactor eléctrico de acero inoxidable 304, potencia 10KW, 220V;**
- 8, sumidero de elevación del ánodo **Calefacción por tubo calefactor eléctrico de acero inoxidable 304, potencia de 24KW, 220V;**
- 9, tanque de activación con calefacción de tubo de calefacción eléctrica de acero inoxidable 304, **potencia 10 KW, 220 V;**
- 10, control automático de temperatura utilizando productos de Yan Ling Electric Company;
- 11, seguimiento de camiones utilizando el cable plano avanzado de 40 núcleos de Shanghai Nanyang Fujikura;
12. Todo el gabinete de control, diseño razonable, apariencia elegante y exquisita, fácil de operar, para evitar la humedad y la corrosión. Cableado del gabinete de control estructurado, número de línea claro y preciso, todos los elementos tienen etiquetas claras en el panel de operación en inglés.
- 13, sistema con **funciones de control automático y manual,** En circunstancias normales, el sistema está en funcionamiento automático, como el tiempo de residencia de la pieza en cada ranura, los niveles de tráfico y la velocidad de elevación. Cada inicio, parada, ascenso, reducción de operación y cambio de carril se puede controlar manualmente, pero esta vez la otra parte todavía se controla automáticamente. Cuando un problema local necesita reparación, se pasa a la operación manual, la línea de producción puede continuar funcionando.
- 14, programa del sistema con función de interrupción, alimentación y memoria, fácil de manejar situaciones inesperadas.
- 15, el sistema está equipado con una gama completa de dispositivos de parada de emergencia para evitar accidentes.
- 16, para la diversidad de productos del usuario, el sistema se puede modificar fácilmente para ejecutar la secuencia del proceso.

RAINBOW

AUTOMATIC ELECTROPLATING LINE



Professional ✓
Good quality ✓
Energy conservation ✓

20 YEARS

20 years of professional export

Overview

Quick Details

Condition:	New	Place of Origin:	Jiangsu, China
Usage:	Heat Treatment Furnace	Type:	Resistance Furnace
Brand Name:	Rainbow	Voltage:	380V,415V
Dimension(L*W*H):	50m	Certification:	CE Certificate
Weight (T):	65 T	Power (kW):	190
After Warranty Ser...	Video technical support, Online support	Key Selling Points:	Competitive Price
Local Service Loc...	India	Applicable Industr...	Manufacturing Plant
Showroom Locati...	India	Weight:	63900kgs
After-sales Servic...	Engineers available to service machinery overseas	furnace:	mesh belt furnace
Warranty:	1 year		

Supply Ability

Supply Ability:	20 Unit/Units per Year
-----------------	------------------------

Packaging & Delivery

Packaging Details	In Containers,40 feet container, 20 feet container.
Port	Shanghai

PRODUCT FEATURES

All applications and functions of automatic electroplating line

Linear plating Automatic production line for mechanical parts, automobiles, motorcycle parts and other metal surface oxidation, nickel, chrome, galvanized and other process requirements, but also for engineering plastic surface of the metal plating, such as car decoration pieces, Mobile phone shell and signs and so on.



Phosphorization
production line



zinc electroplating line

Automatic plating production line is mainly applicable to all kinds of small parts and various non-standard items. The equipment is mainly composed of manipulator, tank body, drum, transmission mechanism, conveying device and so on, to meet the various products of different processes to the plating production.



Nickel barrel plating line



Zinc barrel plating line

BARREL TYPE ZINC PLATING ON ROD STEEL BAR



Aluminum profile anodizing line

Electroplating wastewater treatment equipment consists of regulating pool, adding medicine box, reducing pool, neutralizing reaction tank, pH adjusting pool, flocculation tank, inclined tube sedimentation tank, van filter press, clear water pool, air floatation reaction, activated carbon filter , Such as plating rinse water, waste bath, equipment cooling water and rinse ground water, the water contains chromium, zinc, copper, nickel, cadmium and other heavy metal ions and acid, alkali , Cyanide, etc., after treatment, safe discharge.



The exhaust gas treatment system mainly includes the suction hood \ suction pipe \ FRP fan, the exhaust gas treatment tower, the circulating pump, the tank and the pipeline. Mainly involved in the production of electroplating production of various types of chromium emissions, cyanide gas, acid waste gas, alkali waste gas and other comprehensive waste gas. After discharge standards.



THE MAIN CONFIGURATION



- 1, PLC machine adopts Japanese Mitsubishi Electric Corporation products;
 - 2, inverter by Japan's Mitsubishi Electric Corporation products;
 - 3, touch screen with Kunlun-state electrical company's products;
 - 4, proximity switches and photoelectric switches from Germany Turck Electric products;
 - 5, contactors and thermal relays Suzhou Siemens Electric Company products;
 - 6, chemical degreasing tank 304 stainless steel electric heating tube heating, power of 48KW, 220V;
 - 7, hot water tank made of 304 stainless steel electric heating tube heating, power 10KW, 220V;
 - 8, anode lift sump 304 stainless steel electric heating tube heating, power of 24KW, 220V;
 - 9, activation tank using 304 stainless steel electric heating tube heating, power 10KW, 220V;
 - 10, Automatic temperature control using Yan Ling Electric Company products;
 - 11, Truck traces using Shanghai Nanyang Fujikura's advanced 40-core flat cable;
 - 12, All control cabinet, reasonable design, elegant, exquisite appearance, easy to operate, so that moisture and corrosion. Control cabinet wiring structured, clear and accurate line number, all elements have clear labeling on the operation panel in English.
 - 13, system with automatic and manual control functions, under normal circumstances, the system is in automatic operation, such as the residence time of the workpiece in each groove, traffic levels and lifting speed. Each lane start, stop, promotion, reduction in operation and the shift can be controlled manually, but this time the other part is still controlled automatically. When a local problem in need of repair, driving to go to the manual operation, the production line can continue to run.
 - 14, System program with interrupt, power and memory function, easy to handle unexpected situations.
 - 15, system is equipped with the full range of emergency stop devices to prevent accidents.
 - 16, for the user product diversity, the system can be easily modified to run the process sequence.
-

HIGH QUALITY ACCESSORIES

High quality accessories, strong and durable,
reduce the frequency of replacement



FINISHED PRODUCT AFTER PLATING ZINC/NICKEL/CHROME





COMPANY PROFILE

Harbin Rainbow Technology Co.,Ltd comes from China National Machinery Import and Export Corp. Harbin branch. The main business is manufacturing cold forging machine, Bolt Maker, Nut Maker, Part Former, Screw Heading Machine, Thread Rolling Machine, Wire Drawing Machine and Mesh Belt Furnace, Zinc plating plant. etc.





ABROAD CUSTOMERS



OFFICE IN INDIA



STUTTGART EXHIBITION IN 2019





MUMBAI EXHIBITION IN 2019



SHIPPMENT



OUR ADVANTAGES

Professional manufacturers, trustworthy



high
quality
productions



strong
production
capacity



better
online
service



professional
team



skilled and
professional
experience
engineers



Q: Are you factory or trading company?

A: We are the biggest dealer of machines related to fastener area, and we are the agent of China biggest bolt former manufacturer, heat-treatment furnace, and so on.

Q: Why should we choose you?

A: We choose the best supplier out of hundreds of similar factories, which assures that our product is of the best quality.

B: We have more than 20 years experience in this area.

C: We can provide all machines to equip an entire bolt/nut production line.

D: Fully support in buyer workmen training

E: Fully support in after-sales service.

Q: What about your price?

A: The price based on your details request, like your product size, machine model, order quantity, and so on.

Q: How about the shipping?

A: ocean shipping, air transportation.

Q: Do you offer after-sale service?

A: yes, we offer full and good service for all our clients. We will always be there for you, if you have any questions.

For more information of our company ,
please visit our web site: www.rainbowtechnology.net.

