

## Macchina intestata

Modello RSH10-120  
Max.Diametro in bianco (mm) 10  
Max.Lunghezza vuota (mm) 120  
Max.Tagliare la lunghezza (mm) 140  
Ictus (mm) 150  
Output (PCS/min) 50-60  
Diametro del dado principale  $\Phi 80 \times 160$  (mm)  
Punch die diametro (1st)  $\Phi 55 \times 150$  (mm)  
Punch die diametro (2nd)  $\Phi 55 \times 150$  (mm)  
Tagliare il diametro del dado (mm)  $\Phi 40 \times 50$   
Dimensione del taglio (mm) 16x55x115  
Potenza del motore principale 15 CV/11KW (KW)  
Dimensione della macchina 4.80x1.80x1.70 (l\*w\*h) (m)  
Peso approssimativo 8450 (kgs)

**Per ulteriori informazioni, lasciare un messaggio e posso darti un'introduzione dettagliata.**

La macchina per la testa è una macchina da formare un turbamento a freddo professionale che è abbinata al rotolamento automatico di fili nell'intero impianto dell'industria della chiusura.

### Istruzioni di sicurezza

Il suo scopo è per il selezionato come acciaio al carbonio, acciaio inossidabile, alluminio, rame e altro filo metallico, con stampo appropriato, secondo il filo di pressione ammissibile rispetto a, sotto l'effetto dell'albero motore che collega la guida del cursoLa macchina per l'intestazione elabora automaticamente, il filo in prodotti semifiniti.

La macchina può produrre testa a capriata, testa di contrastazione, vite di set, vite di legno, vite di truciolare, vite auto -tocco, testa esagonale a testa piatta, testa di padella, testa esagonale, testa della presa, testa a bottone e così via.



# SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



- Professional
- Good quality
- Energy conservation

# 20 YEARS

20 years of professional export

RAINBOW

# HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



- Professional ✓
- Good quality ✓
- Energy conservation ✓

**20** YEARS

20 years of professional export

# PRODUCTION AREA

Provide You With A Variety Of Products Meet  
The Different Needs Of Customers



# SUPER HIGH QUALITY UNITS



SWING PNEUMATIC GRIPPER



DIGITAL BAFFLING OPERATED BY HAND WHEEL



DIGITAL FEEDING OPERATED BY HAND WHEEL



SLIDING SCREWED SLEEVE OF REAR K.O.



CUT OFF PART




Due to the high accurate multi-function compound gripping mechanism, there are translational wide open gripper, nut gripper and turnover wide open gripper, and these 3 grippers can be interchanged and shared at will. However the key breakthrough design is that the turnover wide open gripper can both turn over and widely open, it expands the production range for different kinds of abnormal parts and reduces the manufacturing cost for the dies.



AIR CLUTCH




OPERATING  
SYSTEM



REAR KNOCK  
OUT MECHANISM



ELECTRICAL  
DIGITAL FEEDING



THE SWING OF  
GRIPPER IS DRIVEN  
BY CONJUGATE CAM



High accuracy main sliding block is designed to be connected with rear wing for letting it run stably and precisely, the bottom of front and back wing is adopted super wearing inserted copper plate with self lubrication, it can ensure accuracy and extend service life. The post stations of punching tool can be fulfilled the function of reverse punching.

# FIELD OF PRODUCTION APPLICATION



Thanks to the advantage of the cold upsetting equipment itself and the superiority of cold upsetting technique, the formers also are widely used in different national economic territories for producing fasteners and abnormal non-standard parts such as aviation steamer, machinery , rail traffic, vehicle, motorcycle, bicycle, architecture, electric appliance , electronic and communication products, etc.





## COMPANY PROFILE

Harbin Rainbow Technology Co.,Ltd comes from China National Machinery Import and Export Corp. Harbin branch. The main business is manufacturing cold forging machine, Bolt Maker, Nut Maker, Part Former, Screw Heading Machine, Thread Rolling Machine, Wire Drawing Machine and Mesh Belt Furnace, Zinc plating plant. etc.



MUMBAI  
EXHIBITION  
IN  
2019



BunnyZhang/Progettomanager  
Telefono/wechat/whatsapp: +8615678396701