

**RAINBOW**

# CONTINUOUS MESH BELT ( CARBURIZING ) FURNACE LINE

The computerizing office management can be realized with computer control system.



- Professional ✓
- Good quality ✓
- Energy conservation ✓

**20** YEARS

20 years of professional export




# MAIN SPARES

Some parts can be replaced to extend the service life of the machine.



Usi: ampiamente utilizzato in parti automobilistiche, dispositivi di fissaggio, catene, cuscinetti e parti della macchina  
Strumenti. Carico automatico di operazioni di trattamento termico continuo, carbonitriding,  
Spegnimento, lavaggio, tempera, Tintura e copertura olio e altri gestori di uffici computerizzati  
Con il sistema di controllo del computer da raggiungere.



Trasportatore a cinghia a rete continuo e trattamento del fornace di trattamento termico

modello	Potenza (KW)	Potenza totale (KW)	Temperatura di lavoro (°C)	Dimensione funzionante (mm)	Capacità (kgs / h)
WZTG9-30 * 600 * 10	#1	90	950	300 * 100 * 6000	120-150
WZTG9-40 * 600 * 10	#2	120	950	400 * 100 * 6000	180-220
WZTG9-50 * 600 * 10	# 3	180	950	6000 * 500 * 100	250-300
WZTG9-60 * 600 * 10	# 4-1	220	950	600 * 100 * 6000	400-450
WZTG9-60 * 800 * 10	# 4-2	275	950	600 * 100 * 8000	450-500
WZTG9-80 * 600 * 10	# 5-1	275	950	800 * 100 * 6000	450-500
WZTG9-80 * 800 * 10	# 5-2	360	950	800 * 100 * 8000	650-750
WZTG9-80 * 1000 * 10	# 6	410	950	10000 * 800 * 100	900-1000
WZTG9-100 * 1000 * 10	# 7	500	950	1000 * 100 * 10000	1200-1300
WZTG9-120 * 1000 * 10	#8	600	950	1200 * 100 * 10000	1400-1500
WZTG9-120 * 1350 * 10	#9	950	950	1200 * 13.500 * 100	1800-2000

\* Dimensione e amplificatore; Le specifiche possono essere personalizzate madÈ

Alimentatore magnetico:



Serbatoio di defosforizzazione:



Tank di olio di spegnimento:



Essiccatore:



Doppia Iva:



Cabinet di controllo elettrico:



pezzi di ricambio:







Mostre all'estero:

