

Salient Features:

1. These cold heading machines are fully automatic and easy to operate with little training, fitted with Solid Die to produce blank for Bolts, Screws, Rivets and other similar components. Cut off and knock out mechanism have safety devices that will stop any major accident if any abnormal function occurs in machines.
2. A positive knock out provision had been made on the 1st and 2nd punches to eliminate the possibility of parts sticking to these punches during the operations.
3. On some extra charges machines will be equipped with Pneumatic Clutch & Automatic Centralized Lubrications systems which provides sufficient quantity lubricating to all bearing surface.



BOLT MAKER

Auto multi-station cold Upsetting Former is a specialized machine tool with high precision, high productivity and more automation among metal forging machinery. Cold upsetting technique and cold upsetting formers are used as an important means for producing different kinds of bolts.



Professional ☒
Good quality ☒
Energy conservation ☒

20 YEARS

20 years of professional export

MAIN FEATURES

AIR CLUTCH

SWING
PNEUMATIC
GRIPPER

RATCHET
DRIVED BY
CYLINDER
CONTROL

LINK BLOCK
SYSTEM

IMPORTED
INVERTER

TESTING
SAFETY PIN

SYNCHRONOUS
OPERATION

REAR
KNOCK
OUT DEVICE

WEAR
RESISTANT
MATERIAL

HIGH
STRENGTH
MATERIAL

MADE BY
NC MACHINE
TOOL

OPTIONAL
FOR NC
SYSTEM

SUPER HIGH QUALITY UNITS



SWING PNEUMATIC
GRIPPER



DIGITAL BAFFLING
OPERATED BY
HAND WHEEL



DIGITAL FEEDING
OPERATED BY
HAND WHEEL



SLIDING SCREWED
SLEEVE OF REAR K.O.



CUT OFF PART




Due to the high accurate multi-function compound gripping mechanism, there are translational wide open gripper, nut gripper and turnover wide open gripper, and these 3 grippers can be interchanged and shared at will. However the key breakthrough design is that the turnover wide open gripper can both turn over and widely open, it expands the production range for different kinds of abnormal parts and reduces the manufacturing cost for the dies.



AIR CLUTCH




OPERATING
SYSTEM



REAR KNOCK
OUT MECHANISM



ELECTRICAL
DIGITAL FEEDING




THE SWING OF
GRIPPER IS DRIVEN
BY CONJUGATE CAM




High accuracy main sliding block is designed to be connected with rear wing for letting it run stably and precisely, the bottom of front and back wing is adopted super wearing inserted copper plate with self lubrication, it can ensure accuracy and extend service life. The post stations of punching tool can be fulfilled the function of reverse punching.

HIGH QUALITY SPARES

Machine production is guaranteed to
extend the service life of the machine
and reduce the frequency of
replacement



PRODUCT DISPLAY





We abide by the principles of honesty, credibility, and mutual-benefit, and do our best to serve clients and customers both at home and abroad. With our top-notch professional knowledge and trading experience, we have seen our market development ability and actual business growth with an increasingly faster pace. We sincerely look forward to working with you to facility your company's foreign market development and China market expansion. Let's build a great future together!




ABROAD CUSTOMERS



OFFICE IN INDIA



STUTTGART EXHIBITION IN 2019





MUMBAI EXHIBITION IN 2019



SHIPPMENT

