

Heading	
Machine	
Model	RSH3-20
Max. Blank	
Diameter	3
(mm)	
Max. Blank	20
Length (mm)	
Max. Cut off	30
Length (mm)	
Stroke (mm)	37
Output	150-200
(Pcs/Min)	
Main Die	
Diameter	Φ20X35
(mm)	
Punch Die	
Diameter	Φ18X50
(1st) (mm)	
Punch Die	
Diameter	Φ18X50
(2nd) (mm)	
Cut off Die	
Diameter	Φ13X25
(mm)	
Cutter Size	6X25X42
(mm)	
Main Motor	
Power (KW)	1.5HP/1.1KW
Machine Size	
(L*W*H) (m)	1.4X0.75X0.9
Approx	
Weight (Kgs)	650

For more information, please leave a message, and I can give you detail introduction.

The head machine is a professional cold upsetting forming machine which is matched with automatic wire rolling machine in the whole plant of fastener industry.

Safety instructions

Its purpose is to the selected such as carbon steel, stainless steel, aluminum, copper and other metal wire, with appropriate mould, according to the allowable pressure wire than, under the effect of crankshaft connecting rod drive the slider, automated, fast after the required size of the wire will be automatically shear, extrusion in the mould for needed fastener head type, stem diameter, facilitate thread rolling, or become a qualified rivet type fastener. The heading machine automatically processes, the wire into semi-finished products.

The machine can produce Truss Head, Countersunk Head, Set Screw, Wood Screw, Chipboard Screw, Self Tapping Screw, Flat Head Hex Head, Pan Head, Hexagon Head, Socket Head, Button

Head and so on.



SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



20 **YEARS**

20 years of professional export

- Professional
- Good quality
- Energy conservation

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



- Professional
- Good quality
- Energy conservation

20 **YEARS**

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers

