

Заголовок

Модель	RSH10-120
Макс.Пустой диаметр (мм)	10
Макс.Пустая длина (мм)	120
Макс.Отребить длину (мм)	140
Ход (мм)	150
Вывод (ПК/мин)	50-60
Главный диаметр кубика (мм)	Φ80x160
Диаметр Dip Die (1 -й) (мм)	Φ55x150
Диаметр Dip Die (2 -й) (мм)	Φ55x150
Отрежьте диаметр матрица (мм)	Φ40x50
Размер реза (мм)	16x55x115
Основная мощность двигателя (кВт)	15 л.с./11 кВт
Размер машины (L*W*H) (М)	4.80x1.80x1.70
Приблизительный вес (кг)	8450

Для получения дополнительной информации, пожалуйста, оставьте сообщение, и я могу дать вам подробную информацию.

Head Machine - это профессиональная холодная машина для формирования, которая сочетается с автоматическим проводным машиной во всем заводе индустрии крепежа.

Инструкции по технике безопасности

Его цель заключается в выбранном, таких как углеродистая сталь, нержавеющая сталь, алюминиевая, медная и другая металлическая проволока, с соответствующей плесенью, в соответствии с допустимым проводом давления, чем под действием привода шатуна для коленчатого вала, автоматизированный, быстрый после необходимого размера провода автоматически сдвиг, экстразий в форм для необходимого типа головки фантастика, диаметром стебеля, фамилию резки, или становятся апонтирующими. Заголовок автоматически обрабатывается, проводя в полуфабрикаты.

Машина может создавать ферму, головку, головка, установленная винт, деревянный винт, винт с помощью капюшона, винт с самонадежным набором, шестнадцатеричная головка с плоской головкой, головка кастрюли, головка шестиугольника, головка гнезда, головка кнопки и так далее.



SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



- Professional
- Good quality
- Energy conservation

20 YEARS

20 years of professional export

RAINBOW

HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



- Professional ✓
- Good quality ✓
- Energy conservation ✓

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers



SUPER HIGH QUALITY UNITS



SWING PNEUMATIC GRIPPER



DIGITAL BAFFLING OPERATED BY HAND WHEEL



DIGITAL FEEDING OPERATED BY HAND WHEEL



SLIDING SCREWED SLEEVE OF REAR K.O.



CUT OFF PART




Due to the high accurate multi-function compound gripping mechanism, there are translational wide open gripper, nut gripper and turnover wide open gripper, and these 3 grippers can be interchanged and shared at will. However the key breakthrough design is that the turnover wide open gripper can both turn over and widely open, it expands the production range for different kinds of abnormal parts and reduces the manufacturing cost for the dies.



AIR CLUTCH




OPERATING
SYSTEM



REAR KNOCK
OUT MECHANISM



ELECTRICAL
DIGITAL FEEDING



THE SWING OF
GRIPPER IS DRIVEN
BY CONJUGATE CAM



High accuracy main sliding block is designed to be connected with rear wing for letting it run stably and precisely, the bottom of front and back wing is adopted super wearing inserted copper plate with self lubrication, it can ensure accuracy and extend service life. The post stations of punching tool can be fulfilled the function of reverse punching.

FIELD OF PRODUCTION APPLICATION



Thanks to the advantage of the cold upsetting equipment itself and the superiority of cold upsetting technique, the formers also are widely used in different national economic territories for producing fasteners and abnormal non-standard parts such as aviation steamer, machinery , rail traffic, vehicle, motorcycle, bicycle, architecture, electric appliance , electronic and communication products, etc.





COMPANY PROFILE

Harbin Rainbow Technology Co.,Ltd comes from China National Machinery Import and Export Corp. Harbin branch. The main business is manufacturing cold forging machine, Bolt Maker, Nut Maker, Part Former, Screw Heading Machine, Thread Rolling Machine, Wire Drawing Machine and Mesh Belt Furnace, Zinc plating plant. etc.



MUMBAI
EXHIBITION
IN
2019



Кролик Чжан/Проектменеджер
Телефон/WeChat/WhatsApp: +8615678396701