




1. 该设备主要用于连续铸造或热轧工艺，能够实现大规格、高产量生产。
 2. 该设备具有结构紧凑、操作简便、维护方便等特点。
 3. 该设备适用于钢铁、有色金属等多种材料的加工。
 4. 该设备具有碳氮化、光亮退火、油淬、油冷、油洗、油干等工艺。
 5. 该设备具有温度控制精确、加热均匀、冷却速度快等特点。
 6. 该设备具有自动化程度高、生产效率高、节能环保等优点。
 7. 该设备具有使用寿命长、运行稳定、安全可靠等特点。



规格	数量	重量 (kg)	温度 (°C)	尺寸 (mm)	重量 (KGS / H)
WZTG9-30 * 600 * 10	# 1	90	950	300 * 100 * 6000	120-150
WZTG9-40 * 600 * 10	# 2	120	950	400 * 100 * 6000	180-220
WZTG9-50 * 600 * 10	# 3	180	950	500 * 6000 * 100	250-300
WZTG9-60 * 600 * 10	# 4-1	220	950	600 * 100 * 6000	400-450

WZTG9-60 * 800 * 10	# 4-2	275	950	600 * 100 * 8000	450-500
WZTG9-80 * 600 * 10	# 5-1	275	950	800 * 100 * 6000	450-500
WZTG9-80 * 800 * 10	# 5-2	360	950	800 * 100 * 8000	650-750
WZTG9-80 * 1000 * 10	# 6	410	950	10000 * 800 * 100	900-1000
WZTG9-100 * 1000 * 10	# 7	500	950	1000 * 100 * 10000	1200-1300
WZTG9-120 * 1000 * 10	# 8	600	950	1200 * 100 * 10000	1400-1500
WZTG9-120 * 1350 * 10	# 9	950	950	1200 * 13,500 * 100	1800-2000

* ； MADE



Dephosphorization :



□□□□□□□□□□




□□□□□□□□□□:



[illegible][illegible]

□□□□□□:

Men-Machine Interface Intelligence Control System




Carbon Controller



Zirconia carbon sensor



SPARE PARTS:




HEATING ELEMENT



RADIANT TUBE



THERMOCOUPLE



MESH-BELT



ROLLER

[illegible]



請到以下網址查詢詳情: www.rainbowtechnology.net

請到以下網址查詢詳情: www.rainbowtechnology.net

Vera

WhatsApp / 電話: 86-18704610523

電郵: vera5266

QQ: 417651303