

□ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □

[illegible]

□□□□□□ □□□□□□□□□□□□□□□□ (□□.)

20

□□□□□□ □□□□□□□□□□ (□□.)

30

□□□□□□□□□□□□□□ (□□.)

37

□□□□□□□□ (PCS/MIN)

150-200

□□□□□□□□□□□□□□□□□□□□ (□□.)

φ20x35

□□□□□□□□□□□□□□□□□□ (1st) (□□.)

φ18x50

□□□□□□□□□□□□□□□□□□□□ (2nd) (□□.)

φ18x50

□□□□□□□□□□□□□□□□□□□□ (□□.)

φ13x25

□□□□□□□□□□ (□□.)

6x25x42

□□□□□□□□□□□□□□ (kW)

1.5hp/1.1kW

□□□□□□□□ (l*w*h) (m)

1.4x0.75x0.9

□□□□□□□□□□ (kgs)

650

[illegible][illegible]

□ □

[illegible]

□ □ □
□ □

[illegible][illegible][illegible][illegible][illegible]

SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



Professional ☒
Good quality ☒
Energy conservation ☒

20 YEARS

20 years of professional export

PRODUCTION AREA

Provide You With A Variety Of Products Meet
The Different Needs Of Customers

