

## Başlık makinesi

Model	RSH10-120
Maks.Boş çap (mm)	10
Maks.Boş uzunluk (mm)	120
Maks.Kesme uzunluğu (mm)	140
İnme (mm)	150
Çıktı (PCS/MIN)	50-60
Ana kalıp çapı (mm)	Φ80x160
Punch kalıp çapı (1.) (mm)	Φ55x150
Punch kalıp çapı (2.) (mm)	Φ55x150
Kesi kalıp çapı (mm)	Φ40x50
Kesici boyutu (mm)	16x55x115
Ana Motor Gücü (KW)	15hp/11kw
Makine boyutu (l*w*h) (m)	4.80x1.80x1.70
Yaklaşık ağırlık (kg)	8450

**Daha fazla bilgi için lütfen bir mesaj bırakın ve size detay tanıtımı verebilirim.**

Kafa makinesi, bağlantı elemanı endüstrisinin tüm tesisinde otomatik tel haddeleme makinesi ile eşleşen profesyonel bir soğuk üzücü şekillendirme makinesidir.

### Güvenlik talimatları

Amacı, karbon çeliği, paslanmaz çelik, alüminyum, bakır ve diğer metal teller gibi seçilenler, izin verilen basınç teline göre, krank mili bağlantı çubuğu sürücüsünün etkisi altında, telin gerekli boyutu otomatik olarak kesildikten sonra otomatik olarak kesilecek, kabilde ekstrüzyon, gerekli tutturma diameter, dengeli diameter, kolaylaştırıcı, kolaylaştırıcı, tutulur.Başlık makinesi otomatik olarak işlenir, kabloyu yarı bitmiş ürünlere dönüştürür.

Makine makas başı, tezgah başı, set vidası, ahşap vida, sunta vidası, kendi kendine dokunma vidası, düz kafa altıgen kafası, pan kafası, altıgen kafa, soket başı, düğme kafası vb.



# SCREW MAKER

One die two blow heading machine. widely used to produce standard and non-standard screw. the machine is easy to operate and stable in performance



- Professional
- Good quality
- Energy conservation

# 20 YEARS

20 years of professional export

RAINBOW

# HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE



- Professional ✓
- Good quality ✓
- Energy conservation ✓

**20** YEARS

20 years of professional export

# PRODUCTION AREA

Provide You With A Variety Of Products Meet  
The Different Needs Of Customers



# SUPER HIGH QUALITY UNITS



SWING PNEUMATIC GRIPPER



DIGITAL BAFFLING OPERATED BY HAND WHEEL



DIGITAL FEEDING OPERATED BY HAND WHEEL



SLIDING SCREWED SLEEVE OF REAR K.O.



CUT OFF PART




Due to the high accurate multi-function compound gripping mechanism, there are translational wide open gripper, nut gripper and turnover wide open gripper, and these 3 grippers can be interchanged and shared at will. However the key breakthrough design is that the turnover wide open gripper can both turn over and widely open, it expands the production range for different kinds of abnormal parts and reduces the manufacturing cost for the dies.



AIR CLUTCH




OPERATING  
SYSTEM



REAR KNOCK  
OUT MECHANISM



ELECTRICAL  
DIGITAL FEEDING



THE SWING OF  
GRIPPER IS DRIVEN  
BY CONJUGATE CAM



High accuracy main sliding block is designed to be connected with rear wing for letting it run stably and precisely, the bottom of front and back wing is adopted super wearing inserted copper plate with self lubrication, it can ensure accuracy and extend service life. The post stations of punching tool can be fulfilled the function of reverse punching.

# FIELD OF PRODUCTION APPLICATION



Thanks to the advantage of the cold upsetting equipment itself and the superiority of cold upsetting technique, the formers also are widely used in different national economic territories for producing fasteners and abnormal non-standard parts such as aviation steamer, machinery , rail traffic, vehicle, motorcycle, bicycle, architecture, electric appliance , electronic and communication products, etc.





## COMPANY PROFILE

Harbin Rainbow Technology Co.,Ltd comes from China National Machinery Import and Export Corp. Harbin branch. The main business is manufacturing cold forging machine, Bolt Maker, Nut Maker, Part Former, Screw Heading Machine, Thread Rolling Machine, Wire Drawing Machine and Mesh Belt Furnace, Zinc plating plant. etc.



MUMBAI  
EXHIBITION  
IN  
2019



tavşanZhang/Projemüdür  
Telefon/Wechat/Whatsapp: +8615678396701