

Máy lăn sợi cầu vồng

Sản phẩm: Srew và bu lông


Giá hợp lý, Dễ dàng bảo trì chất lượng cao

quá trình trục và xuyên tâm

xử lý thường xuyên và không đều

Máy lăn sợi

Mô hình này được ca ngợi rộng rãi với giá hợp lý của nó, bảo trì dễ dàng và chất lượng HGIH. Bên cạnh quy trình trục và xuyên tâm, nó được sử dụng để xử lý bu -lông thường xuyên và không đều, thông qua vít, v.v. với con lăn dập nổi tùy chọn.



The image shows a large industrial machine, the Rainbow High-Speed Automatic Thread Rolling Machine, in a green and black color scheme. It is set against a blue background with a faint industrial scene. The machine has a complex structure with various rollers and a control panel. The text 'RAINBOW' is prominently displayed at the top, followed by 'HIGH-SPEED AUTOMATIC THREAD ROLLING MACHINE' in large white letters. Below the machine, there are three bullet points with checkmarks: 'Professional', 'Good quality', and 'Energy conservation'. To the right, there is a large '20 YEARS' logo with the text '20 years of professional export' underneath it.

RAINBOW

**HIGH-SPEED AUTOMATIC
THREAD ROLLING MACHINE**

- Professional ✓
- Good quality ✓
- Energy conservation ✓

20 YEARS


20 years of professional export

PRODUCT DISPLAY

Various types of thread rolling machine to
meet your various needs



CY06Z



CY08Z



CY10Z



CY12Z



CY16Z



CY30Z



CY02X



CY05X



CY06XN



CY06X



CY08X



CY12X

THREAD ROLLING MACHINE PART OF THE STRUCTURE



TRANSPORTATION MATERIAL

Sloping filling-90 degree obliquity with main slider



TRANSPORTATION MATERIAL

Sloping filling-30 degree obliquity with main slider



NO HEAD SCREW

Through no head screw feeding system, the system solves problems in no head 'screw bottleneck with advanced value in machinery.



ORBITAL BRACKET

To stabilize filling progress in order to avoid floating head and increase fine quality.



FORCIBLE OIL CARRYING

It replaces traditional acrylic oiler which damaged main slider. This precision filter system not only lowers direct cost in production but also extends life usage in recycle.



AUTO FEEDING SYSTEM

Replaced cam by auto feed system, effectively avoids the cam abrasion in the production process.