


[Zinc plating equipment](#) . [zinc plating plant](#).

RAINBOW

AUTOMATIC ELECTROPLATING LINE



- Professional ✓
- Good quality ✓
- Energy conservation ✓

20 YEARS
20 years of professional export

PRODUCT FEATURES

All applications and functions of automatic electroplating line

Linear plating Automatic production line for mechanical parts, automobiles, motorcycle parts and other metal surface oxidation, nickel, chrome, galvanized and other process requirements, but also for engineering plastic surface of the metal plating, such as car decoration pieces, Mobile phone shell and signs and so on.



Phosphorization production line



zinc electroplating line

Automatic plating production line is mainly applicable to all kinds of small parts and various non-standard items. The equipment is mainly composed of manipulator, tank body, drum, transmission mechanism, conveying device and so on, to meet the various products of different processes to the plating production.



Nickel barrel plating line



Zinc barrel plating line

Barrel plating automatic production line can be adapted to a variety of small parts, standard parts and various types of plating needs substantial increase in labor productivity. Plating has been provided to expect from the rejection of the full set of water and drying equipment.

1. Large roller can be extremely PP PP-casting materials, CNC machine drilling.
2. The transmission system adopts each station of a transmission gear coupling, electromagnetic speed.
3. Automatic weighing feeding device can reduce labor intensity.
4. passivation automatic folder barrel washing equipment and automatic rejection of water color dryer.

We can offer from plating material dumped water drying until a full set of equipment. Special accumulated rich experience in zincate solution passivated galvanized wash tub and clip color equipment, roller and PP template for a national patent.

The main configuration

- 1, PLC machine adopts Japanese Mitsubishi Electric Corporation products;
- 2, inverter by Japan's Mitsubishi Electric Corporation products;
- 3, touch screen with Kunlun-state electrical company's products;
- 4, proximity switches and photoelectric switches from Germany Turck Electric products;
- 5, contactors and thermal relays Suzhou Siemens Electric Company products;
- 6, chemical degreasing tank 304 stainless steel electric heating tube heating, power of 48KW, 220V;
- 7, hot water tank made of 304 stainless steel electric heating tube heating, power 10KW, 220V;
- 8, anode lift sump 304 stainless steel electric heating tube heating, power of 24KW, 220V;
- 9, activation tank using 304 stainless steel electric heating tube heating, power 10KW, 220V;
- 10, Automatic temperature control using Yan Ling Electric Company products;
- 11, Truck traces using Shanghai Nanyang Fujikura's advanced 40-core flat cable;
- 512, All control cabinet, reasonable design, elegant, exquisite appearance, easy to operate, so that moisture and corrosion. Control cabinet wiring structured, clear and accurate line number, all elements have clear labeling on the operation panel in English.
- 13, system with automatic and manual control functions, under normal circumstances, the system is in automatic operation, such as the residence time of the workpiece in each groove, traffic levels and lifting speed. Each lane start, stop, promotion, reduction in operation and the shift can be controlled manually, but this time the other part is still controlled automatically. When a local problem in need of repair, driving to go to the manual operation, the production line can continue to run.
- 14, System program with interrupt, power and memory function, easy to handle unexpected situations.
- 15, system is equipped with the full range of emergency stop devices to prevent accidents.
- 16, for the user product diversity, the system can be easily modified to run the process sequence.

Item

- 1, Material of tank 3mm304 stainless steel , PP
- 2, Material of framework Square steel tube
- 3, Control system PLC, computer control

- 4,Heating model Electronic, steam, hot water
- 5,Model of transporter Automatic ,semi-automatic ,Manual
- 6.Surrounding equipment Rectifiers, filters,pipe, air blower,waste gas treatment system
- 7,Warranty 12 months.
- 8,Advantages Flexible design,safe,stable and high strength, automatic weighting and loading.
- 9,Applications Different kind of plating for metal products.
- 10,Contactor (switch) and thermal relay Siemens Brand .

Rack plating

Automatic zinc plating production line is strictly in accordance with pre-established procedures, processes and time requirements by plating ongoing work to modernize equipment. Not only does it run fast and stable, high yield, stable quality, and save a lot of manpower. And because energy use more fully, less pollution and cleaner production by the state environmental protection department is widely recommended.

Rack plating , zinc-nickel rack plating , rack plating iron alloy automatic production lines are the product of our company's strengths. Zincate galvanized and trivalent chromium passivation is more environmental friendly and advanced plating species, our company has built a lot of this automatic production lines.

1. Large roller can be extremely PP PP-casting materials, CNC machine drilling.
2. The transmission system adopts each station of a transmission gear coupling, electromagnetic speed.
3. Automatic weighing feeding device can reduce labor intensity.
4. passivation automatic folder barrel washing equipment and automatic rejection of water color dryer.

We can offer from plating material dumped water drying until a full set of equipment. Special accumulated rich experience in zincate solution passivated galvanized wash tub and clip color equipment, roller and PP template for a national patent.

Zinc plating equipment, there are barrel zinc plating and rack plating equipment, we can make it according to your requirement.

For any questions,please feel free to contact me.

Vickey Xu/Project

ManagerHarbin Rainbow Technology Co., Ltd

Mobile:0086-13843140588

Whatapp/wechat:13843140588